

PROFILE DESIGNER



RANGES AND REFERENCES



IPHYSIO® THE 3 IN 1 SOLUTION


One piece, for the entire implant protocol

Use for **healing**, **impression** and **temporary prosthesis**

No disassembly of the part from the healing to the prosthesis


IPHYSIO® PROFILE DESIGNERS

- Single use



TEMPORARY PROSTHESIS

- Clippable



IPHYSIO® PROFILE DESIGNER TRY-IN ABUTMENT KIT

- To select the height and shape of the Profile Designer iPhysio® for your clinical case
- The kit can be sterilized and reused



Reference KIE_U

iPhysio® Try-in abutment sold individually

- Can be sterilized and reused

	Forme			
	A	B	C	D
Height 1	IE_U.A1	IE_U.B1	IE_U.C1	IE_U.D1
Height 2	IE_U.A2	IE_U.B2	IE_U.C2	IE_U.D2
Height 3	IE_U.A3	IE_U.B3	IE_U.C3	IE_U.D3
Height 4	IE_U.A4	IE_U.B4	IE_U.C4	IE_U.D4

Profile Designer iPhysio®

Healing, impression and temporary prosthesis



	Compatible implant system	iPhysio® Profile Designer					Temporary abutment
		Shape	Height 1	Height 2	Height 3	Height 4	
Nobel Biocare®	NobelActive®, NobelReplace® CC and NobelParallel™ CC : NP	A	NCCN_I.A1	NCCN_I.A2	NCCN_I.A3	NCCN_I.A4	NCCN_IPPC
		B	NCCN_I.B1	NCCN_I.B2	NCCN_I.B3	NCCN_I.B4	
		D	NCCN_I.D1	NCCN_I.D2	NCCN_I.D3	NCCN_I.D4	
	NobelActive®, NobelReplace® CC and NobelParallel™ CC : RP	B	NCCR_I.B1	NCCR_I.B2	NCCR_I.B3	NCCR_I.B4	NCCR_IPPC
		C	NCCR_I.C1	NCCR_I.C2	NCCR_I.C3	NCCR_I.C4	
		D	NCCR_I.D1	NCCR_I.D2	NCCR_I.D3	NCCR_I.D4	

Straumann®

Profile Designer iPhysio®

Healing, impression and temporary prosthesis



	Compatible implant system	iPhysio® Profile Designer				Temporary abutment	
		Shape	Height 1	Height 2	Height 3		Height 4
Straumann®	Bone Level (BL) and Bone Level Tapered (BLT) Ø 3.3 : CrossFit NC connection	A	SBLN_I.A1	SBLN_I.A2	SBLN_I.A3	SBLN_I.A4	SBL_IPPC
		B	SBLN_I.B1	SBLN_I.B2	SBLN_I.B3	SBLN_I.B4	
		D	SBLN_I.D1	SBLN_I.D2	SBLN_I.D3	SBLN_I.D4	
	Bone Level (BL) and Bone Level Tapered (BLT) Ø 4.1 and Ø 4.8 : CrossFit® RC connection	B	SBLR_I.B1	SBLR_I.B2	SBLR_I.B3	SBLR_I.B4	SBL_IPPC
		C	SBLR_I.C1	SBLR_I.C2	SBLR_I.C3	SBLR_I.C4	
		D	SBLR_I.D1	SBLR_I.D2	SBLR_I.D3	SBLR_I.D4	

Zimmer Biomet

Profile Designer iPhysio®

Healing, impression and temporary prosthesis



Compatible implant system		Physio® Profile Designer					Temporary abutment
		Shape	Height 1	Height 2	Height 3	Height 4	
Zimmer Biomet	Tapered Screw-Vent®, Trabecular Metal™, TSX™ : Ø 3.5 green platform	A	ZSC35_I.A1	ZSC35_I.A2	ZSC35_I.A3	ZSC35_I.A4	ZSC_IPPC
		B	ZSC35_I.B1	ZSC35_I.B2	ZSC35_I.B3	ZSC35_I.B4	
		C	ZSC35_I.C1	ZSC35_I.C2	ZSC35_I.C3	ZSC35_I.C4	
		D	ZSC35_I.D1	ZSC35_I.D2	ZSC35_I.D3	ZSC35_I.D4	
	Tapered Screw-Vent®, Trabecular Metal™, TSX™ : Ø 4.5 purple platform	B	ZSC45_I.B1	ZSC45_I.B2	ZSC45_I.B3	ZSC45_I.B4	ZSC_IPPC
		C	ZSC45_I.C1	ZSC45_I.C2	ZSC45_I.C3	ZSC45_I.C4	
		D	ZSC45_I.D1	ZSC45_I.D2	ZSC45_I.D3	ZSC45_I.D4	

MADE IN FRANCE



- LYRA ETK is the French medtech company specializing in dental restoration.
- It integrates traditional implantology and new digital technologies to offer functional and aesthetic restorative solutions.
- LYRA ETK offers simple, safe and accessible digital dental protocols for the benefit of dentists, laboratories and patients.



YOUR DISTRIBUTOR

PROFILE DESIGNER



www.iphysio.dental | Team@standarddentalco.com

 Manufactured by EUROTEKNIKA SAS - 726 rue du Général de Gaulle, 74700 Sallanches (France)

The iPhysio® Profile Designer is manufactured by EUROTEKNIKA SAS and distributed in the US by EMERGINNOVA LLC. Medical devices of Class I, in compliance with European Regulation MDR (EU) 2017/745 (CE marking) and IIa and IIb medical devices in compliance with European Regulation MDR (EU) 2017/745 (CE 0425 marking) and/or European Directive 93/42/EEC (CE 0459 marking). Devices not reimbursed by National Insurance; they must be used by oral health professionals. Please read the instructions and user manual or operating technique

 EMERGINNOVA LLC 936 SW 1 st ave, 975 MIAMI, FL 33130, US

Ref_iphysio_US_i12_2025_03

LYRA ETK
DIGITAL DENTAL PROTOCOLS
Simple . Safe . Accessible